



SCL K11-MD-MOR																														
		2000			2250			2500			2750			2900			3250			3500			3750			4000				
Pressure	dp	dp	Q	Pow	E.M.	Q	Pow	E.M.	Q	Pow	E.M.	Q	Pow	E.M.	Q	Pow	E.M.	Q	Pow	E.M.	Q	Pow	E.M.	Q	Pow	E.M.				
	[mbar]	[inWG]	[cfm]	[hp]	[hp]	[cfm]	[hp]	[hp]	[cfm]	[hp]	[hp]	[cfm]	[hp]	[hp]	[cfm]	[hp]	[hp]	[cfm]	[hp]	[hp]	[cfm]	[hp]	[hp]	[cfm]	[hp]	[hp]	[cfm]	[hp]	[hp]	
	650	260	-	-	-	-	-	-	-	-	-	-	-	-	-	160	13.34	15.00	197	15.72	20.00	223	17.58	20.00	-	-	-	-	-	-
	600	240	-	-	-	-	-	-	-	-	-	150	11.62	15.00	166	12.52	15.00	203	14.80	20.00	229	16.58	20.00	255	18.51	20.00	-	-	-	
	550	220	-	-	-	-	-	-	-	-	-	156	10.84	15.00	172	11.70	15.00	209	13.88	15.00	234	15.59	20.00	260	17.45	20.00	-	-	-	
	500	200	-	-	-	-	-	-	136	8.79	15.00	162	10.06	15.00	178	10.88	15.00	215	12.96	15.00	240	14.60	20.00	266	16.39	20.00	291	18.33	20.00	
	450	180	-	-	-	116	6.98	15.00	142	8.08	15.00	169	9.28	15.00	185	10.06	15.00	221	12.04	15.00	246	13.61	15.00	271	15.33	20.00	296	17.20	20.00	
	400	160	-	-	-	123	6.34	15.00	149	7.37	15.00	176	8.51	15.00	191	9.24	15.00	227	11.12	15.00	252	12.62	15.00	277	14.26	15.00	302	16.06	20.00	
	350	140	104	4.84	15.00	130	5.71	15.00	157	6.67	15.00	183	7.73	15.00	198	8.42	15.00	234	10.20	15.00	258	11.63	15.00	283	13.20	15.00	307	14.93	20.00	
	300	120	112	4.27	15.00	138	5.07	15.00	164	5.96	15.00	190	6.95	15.00	205	7.60	15.00	240	9.28	15.00	265	10.64	15.00	289	12.14	15.00	313	13.80	15.00	
	250	100	121	3.71	15.00	147	4.43	15.00	172	5.25	15.00	198	6.17	15.00	213	6.77	15.00	247	8.36	15.00	271	9.65	15.00	295	11.08	15.00	319	12.66	15.00	
	200	80	130	3.14	15.00	156	3.79	15.00	181	4.54	15.00	206	5.39	15.00	220	5.95	15.00	254	7.44	15.00	278	8.65	15.00	301	10.02	15.00	325	11.53	15.00	
	150	60	140	2.57	15.00	165	3.16	15.00	190	3.83	15.00	214	4.61	15.00	228	5.13	15.00	261	6.52	15.00	285	7.66	15.00	308	8.95	15.00	331	10.40	15.00	
	100	40	151	2.01	15.00	175	2.52	15.00	199	3.12	15.00	222	3.83	15.00	236	4.31	15.00	269	5.60	15.00	292	6.67	15.00	314	7.89	15.00	337	9.27	15.00	
	50	20	162	1.44	15.00	186	1.88	15.00	208	2.42	15.00	231	3.05	15.00	245	3.49	15.00	276	4.67	15.00	299	5.68	15.00	321	6.83	15.00	343	8.13	15.00	
0	0	175	0.87	15.00	197	1.25	15.00	218	1.71	15.00	240	2.27	15.00	253	2.67	15.00	284	3.75	15.00	306	4.69	15.00	328	5.77	15.00	349	7.00	15.00		

Curves refer to air at 68°F temperature and 29.92 In Hg atmospheric pressure (abs) measured at inlet port.
 Values for flow and power consumption: +/-10% tolerance.
 Data subject to change without notice.