



SCL K12-MD-MOR																												
		2000			2250			2500			2750			2900			3250			3500			3750			4000		
Pressure	dp [mbar]	dp [inWG]	Q [cfm]	Pow [hp]	E.M. [hp]	Q [cfm]	Pow [hp]	E.M. [hp]	Q [cfm]	Pow [hp]	E.M. [hp]	Q [cfm]	Pow [hp]	E.M. [hp]	Q [cfm]	Pow [hp]	E.M. [hp]	Q [cfm]	Pow [hp]	E.M. [hp]	Q [cfm]	Pow [hp]	E.M. [hp]	Q [cfm]	Pow [hp]	E.M. [hp]		
	650	260	-	-	-	-	-	-	-	-	-	-	-	-	-	179	17.75	20.00	222	21.17	25.00	-	-	-	-	-	-	
	600	240	-	-	-	-	-	-	-	-	-	167	15.44	20.00	186	16.73	20.00	229	20.02	25.00	258	22.64	25.00	-	-	-		
	550	220	-	-	-	-	-	-	-	-	-	175	14.47	20.00	193	15.70	20.00	235	18.88	20.00	264	21.40	25.00	-	-	-		
	500	200	-	-	-	-	-	-	151	11.67	20.00	182	13.50	20.00	201	14.68	20.00	242	17.73	20.00	271	20.17	25.00	299	22.85	25.00		
	450	180	-	-	-	128	9.22	20.00	160	10.79	20.00	190	12.53	15.00	208	13.66	15.00	249	16.58	20.00	277	18.94	20.00	305	21.53	25.00		
	400	160	105	7.10	20.00	137	8.43	15.00	168	9.91	15.00	198	11.56	15.00	216	12.63	15.00	255	15.44	20.00	283	17.70	20.00	311	20.21	25.00		
	350	140	115	6.40	15.00	146	7.63	15.00	177	9.02	15.00	206	10.59	15.00	223	11.61	15.00	262	14.29	20.00	290	16.47	20.00	317	18.88	20.00		
	300	120	125	5.69	15.00	156	6.84	15.00	185	8.14	15.00	214	9.62	15.00	231	10.59	15.00	269	13.14	15.00	296	15.23	20.00	323	17.56	20.00		
	250	100	136	4.99	15.00	166	6.05	15.00	194	7.26	15.00	222	8.65	15.00	238	9.57	15.00	276	12.00	15.00	302	14.00	15.00	329	16.24	20.00		
	200	80	147	4.28	15.00	175	5.25	15.00	203	6.38	15.00	230	7.68	15.00	246	8.54	15.00	283	10.85	15.00	309	12.76	15.00	335	14.91	20.00		
	150	60	158	3.58	15.00	185	4.46	15.00	212	5.50	15.00	238	6.70	15.00	254	7.52	15.00	290	9.70	15.00	315	11.53	15.00	341	13.59	15.00		
	100	40	169	2.87	15.00	195	3.67	15.00	221	4.61	15.00	247	5.73	15.00	262	6.50	15.00	297	8.56	15.00	322	10.29	15.00	347	12.27	15.00		
	50	20	180	2.17	15.00	205	2.87	15.00	230	3.73	15.00	255	4.76	15.00	270	5.47	15.00	304	7.41	15.00	329	9.06	15.00	353	10.94	15.00		
	0	0	192	1.46	15.00	216	2.08	15.00	239	2.85	15.00	263	3.79	15.00	278	4.45	15.00	311	6.26	15.00	335	7.82	15.00	359	9.62	15.00		

Curves refer to air at 68°F temperature and 29.92 In Hg atmospheric pressure (abs) measured at inlet port.  
 Values for flow and power consumption: +/-10% tolerance.  
 Data subject to change without notice.